

Miscellaneous

TLX10018



Empak

Box crystal pack clear for 25 pieces 200 mm wafers
HS 200-0004

New

TLX10019



Empak

Box amber for 25 pieces 200 mm wafers
HS 200-0028

New

TLX10020



Empak

Cassette crystal pack clear 25 pieces 200mm wafers
XS 200-0010

New

TLX10063



Lumonics Linx

Xymark EFX 5 Matrix Laser coder
Rev. 1
230V-50Hz

Toolex system CLE 2572/00
Toolex no. 3922 079 19371

New

TLX10073



Gallenkamp

Oven 300 Plus Series CE
Type OVE 200 010 X
Temperature range 40 - 300°C
Airflow by fan circulation
Internal volume 75L
(hxwd=480x410x380mm)
6 shelf positions (6 shelves supplied)
With basic and optional controls

Miscellaneous

TLX10087



230V - 50hz

USED in very good condition

Used

Linx

Inkjet Printer Model 6200R

115-230V 50-60Hz

Ink type 1240

Print head type Micro

New

[Linx 6200 \(pdf\)](#)

TLX10127



Hameg

Oscilloscope HM203-7

New

TLX10133



Mitutoyo

Portable surface roughness tester SJ-301
With detector, printer, large display, carrying
case and other standard accessories.

New

[Brochure SJ-301 \(PDF\)](#)

TLX10135



Fluke & Philips

Timer counter PM6671

230V 50Hz

Toolex/Philips no. 9446 066 71016

New

Miscellaneous

TLX10142



Mitutoyo

Portable surface roughness tester SurfTest 301
With detector, printer, display, carrying case and other standard accessories.

New

Gallenkamp

TLX10198



Oven 300 Series Plus
Type OVE 200 210 G
Temperature range 40 - 300°C
Airflow by fan circulation
Internal volume 225L
(hxwd=840x570x465mm)
10 shelf positions (7 shelves supplied)
With basic and optional controls
230V - 50hz

USED in good condition

Micro-Bit Technology Inc.

TLX10207



MP100 Embedded Programmable Controller with Operator Interface.

The MP100 can be used as either an intelligent Operator Interface to communicate via RS232 to many devices such as PLC's, Motor Controllers, etc. or with the use of the real world I/O's it can control many types of industrial equipment.

Optional: MP100 Development Software for Headway ITT22 Spinner
Status: Used

TLX10208



Advanced Motion Controls

30A20ACT Brush Type Servo Amplifier
25 - 130 VAC 50/60 Hz

Status: Used